

Remarks

I. Introduction

This is in response to the Office Action dated May 24, 2006.

The Office Action rejected claims 1-2, 7-9, 19-20, and 32 under 35 U.S.C. §102(b) as being anticipated by U.S. Patent No. 4,910,667 to Tanaka et al. (Tanaka). The Office Action rejected claims 3 and 21 under 35 U.S.C. §103(a) as being unpatentable over Tanaka in view of U.S. Patent No. 5,929,928 to Matsugami et al. (Matsugami). The Office Action rejected claims 3-5, 14-16, and 21-23 under 35 U.S.C. §103(a) as being unpatentable over Tanaka in view of U.S. Patent No. 5,646,142 to Lavelle et al. (Lavelle). The Office Action rejected claims 6, 17, 24, and 31 under 35 U.S.C. §103(a) as being unpatentable over Tanaka in view of U.S. Patent No. 6,745,315 to Gurney et al. (Gurney). The Office Action rejected claims 10-13, 18, and 26-27 under 35 U.S.C. §103(a) as being unpatentable over Tanaka in view of U.S. Patent No. 6,349,380 to Shahidzadeh et al. (Shahidzadeh). The Office Action rejected claims 28-30 under 35 U.S.C. §103(a) as being unpatentable over Tanaka in view of Shahidzadeh, and further in view of Lavelle. The Office Action rejected claims 17 and 31 under 35 U.S.C. §103(a) as being unpatentable over Tanaka in view of Shahidzadeh, and further in view of Gurney.

Applicants traverse the rejections.

Claims 1-32 remain for consideration.

II. Rejections under 35 U.S.C. §102(b)

Independent claims 1 and 19 were rejected as being anticipated by Tanaka. In order for a claim to be anticipated under 35 U.S.C. §102, **each and every** limitation of the claim must be found either expressly or inherently in a single prior art reference. PIN/NIP, Inc. v. Platte Chem. Co., 304 F.3d 1235, 1243 (Fed. Cir. 2002). In the present case, Tanaka does not show each and every limitation of independent claims 1 and 19. Therefore, applicants request the withdrawal of the rejections under 35 U.S.C. §102(b).

The present invention is generally directed to a method for concurrently accessing multiple memory locations. As described at page 5, line 10 – page 6, line 7, an index vector contains a plurality of values which are used as indices to access a memory unit. A base value contains the memory address of a first memory location in the memory unit. Each of the values of the index vector is used as an offset from the base value and thus represents a location in the memory unit. In order to identify the memory location that is represented by each of the index vector values, an operation is performed concurrently on each of the index vector values with the base value to generate a plurality of memory addresses. As illustrated in FIGS. 3 and 4, the same base value is used with each of the index vector values to generate the memory addresses. In one embodiment of the present invention, the operation is adding the base value to each of the index vector values. In another embodiment, a bit replacement operation is performed on each of the index vector values with the base value. Each of the plurality of memory addresses is accessed concurrently. For example, the contents of each of the plurality of memory addresses can be retrieved and stored concurrently in a single memory cycle.

An apparatus for implementing an embodiment of the present invention is illustrated in FIG. 4. As shown in FIG. 4 and described at page 6, line 8 – page 7, line 2, the apparatus includes an index vector register (402) which stores the index vector and operator circuits (shown as adders 406 in the particular embodiment of FIG. 4), each operator circuit connected to one of the segments of the index vector register. Each segment of the index vector register stores one of the index vector values, and each of the operator circuits concurrently performs the operation with the base value on the index vector value stored in the segment of the index vector register to which it is connected. For example, each adder 406 of FIG. 4 adds the index vector value stored in the segment $i_0 - i_7$ to which it is connected to the base value. In another embodiment of the present invention, operator circuits perform bit replacement on the corresponding index vector values with the base value. As illustrated in FIG. 4, the operator circuits use the same base value to concurrently perform the operation on the index

vector values. This base value can be stored in a base value register. A memory location is generated corresponding to each of the index vector values, and the memory locations are concurrently accessed.

The aspects of the present invention described above are recited in independent claim 1. In particular independent claim 1 recites, “concurrently performing an operation on individual ones of said plurality of index vector values with a base value to generate a plurality of memory addresses,” and “concurrently accessing individual ones of said plurality of memory addresses in said at least one memory unit.”

Regarding independent claim 1, Tanaka does not disclose the limitations of independent claim 1, and therefore cannot anticipate claim 1 under the strict anticipation standard of §102.

Tanaka is generally directed to a vector buffer storage for temporarily storing vector data in a vector processor. The vector processor processes vector data according to instructions. A memory location of vector data in a main storage is given by a start address stored in a vector base register VBR and an increment value stored in a vector increment register VIR. The memory location of the vector data corresponds to a memory location in the main storage that the vector data is loaded from or stored to according to the instructions. As described at column 3 lines 14-16, the VIR holds an increment used to specify a location of vector data in the main memory. Tanaka does not disclose the VIR or the increment data itself being a vector. As described therein, numeral 13 of FIG. 1 denotes a group of vector increment registers which hold increment values. This group of vector increment registers is not disclosed as being a vector. Accordingly, Tanaka discloses a separate register for each increment value, as opposed to an “index vector comprising a plurality of values” as recited in claim 1 of the present invention.

Even if the group of vector increment registers illustrated in FIG. 1 of Tanaka were considered to be a vector (which it is not), column 4, lines 11-12

describe that the desired VIR is selected from the group of registers. The increment value stored in the selected VIR is used with a start address stored in a selected VBR in order to specify a location of some vector data in the main storage. Accordingly, one of the group of vector increment registers is used, and the increment values stored in the group of vector increment registers are not concurrently operated on. Although FIG. 3 of Tanaka illustrates two fetch requestors 103 and 104 for fetching vector data stored at two addresses designated by (VB1, VI1) and (VB2, VI2), and a store requestor 105 for storing vector data at an address designated by (VB3, VI3), the three increment values VI1, VI2, and VI3 are not disclosed as being elements of a common vector. Furthermore, each increment value VI1, VI2, and VI3 is paired with a separate start address. As illustrated in FIG. 3, the memory locations designated by the (VB1, VI1), (VB2, VI2), and (VB3, VI3) in the main storage are three separate tables having different starting addresses (or base values). Thus, the increment values VI1, VI2, and VI3 are not operated with the same starting address (or base value). Therefore, Tanaka fails to disclose "concurrently performing an operation on individual ones of said plurality of index vector values with a base value to generate a plurality of memory addresses" as recited in independent claim 1.

Regarding independent claim 19, aspects of the present invention described above are recited in independent claim 19. In particular independent claim 19 recites an apparatus comprising:

- a first storage register for storing an index vector comprising a plurality of values;

- a second storage register for storing a base value;

- a plurality of operator circuits, individual ones of said plurality of operator circuits having a first input coupled to at least a portion of said first storage register and a second input coupled to said second storage register, said plurality of operator circuits for performing an operation on individual ones of said plurality of index vector values with said base value to generate a plurality of memory addresses on outputs of said operator circuits; and

at least one memory unit coupled to the outputs of said operator circuits such that said plurality of memory addresses are accessible in a said at least one memory unit.

Tanaka does not disclose the limitations of independent claim 19, and therefore cannot anticipate claim 1 under the strict anticipation standard of §102.

As described above, FIG. 1 of Tanaka illustrates a group of vector increment registers, and each of the vector increment registers holds an increment value. However, Tanaka does not describe a single storage register storing an index vector having a plurality of values. Although the increment value of each register is used to specify a location of vector data in the main storage, the increment value is not a vector. The Office Action asserts that VI1, VI2, and VI3 109, 111, and 113 of FIG. 3 show a storage register storing an index vector. However, as described at column 7, lines 42-48, VI1, VI2, and VI3 are increment values used along with VB1, VB2, and VB3 to designate addresses on the main storage. Accordingly, reference numerals 109, 111, and 113 refer to the locations designated by VI1, VI2, and VI3 on the main storage. VI1, VI2, and VI3 are not registers, and Tanaka does not describe any register storing VI1, VI2, and VI3 together in the form of an index vector. Thus, Tanaka fails to disclose “a first storage register for storing an index vector comprising a plurality of values” as recited in independent claim 19.

Furthermore, Tanaka does not disclose “a plurality of operator circuits” as recited in claim 19. The Office Actions asserts that the fetch requestors 103 and 104 and the store requestor 105 are illustrative of the claimed “operator circuits”. However, FIG. 3 of Tanaka illustrates that each of these requestors inputs a respective one of VI1, VI2, and VI3 and a respective one of VB1, VB2, and VB3. As described at column 3, lines 14-16, each increment value (such as VI1, VI2, and VI3) are stored in a separate vector increment register. Since Tanaka does not describe VI1, VI2, and VI3 as being stored in the same register as an index vector, the requestors 103, 104, and 105 must connect to separate registers to input VI1, VI2, and VI3. Thus, the requestors 103, 104, and 105 do not each

have a first input coupled to a portion of a storage register storing an index vector. Furthermore, each of the requestors 103, 104, and 105 input a separate start address VB1, VB2, and VB3. Thus, the requestors 103, 104, and 105 do not each have a second input coupled to a storage register storing a base value to be used by each requestor 103, 104, and 105. Therefore, Tanaka fails to disclose "a plurality of operator circuits, individual ones of said plurality of operator circuits having a first input coupled to at least a portion of said first storage register and a second input coupled to said second storage register, said plurality of operator circuits for performing an operation on individual ones of said plurality of index vector values with said base value to generate a plurality of memory addresses on outputs of said operator circuits," as recited in independent claim 19.

Thus, for the reasons discussed above, independent claims 1 and 19 are allowable over the cited art. Claims 2-9 and 20-25 are dependent upon an allowable independent claim and are therefore also allowable.

Claims 7 and 25 are also allowable over Tanaka for at least the following reasons. Claim 7 recites, "[t]he method of claim 1 wherein said at least one memory unit comprises a plurality of memory units and wherein said step of concurrently accessing comprises the step of accessing individual ones of said plurality of memory addresses in one corresponding memory unit." Although FIG. 3 of Tanaka shows a main storage and a vector buffer storage, as described at column 7, lines 42-48, memory addresses (VB1, VI1), (VB2, VI2), and (VB3, VI3) are designated in the main storage. Thus, each memory address (VB1, VI1), (VB2, VI2), and (VB3, VI3) is not accessed using a corresponding memory unit, but instead in the main storage. Although FIG. 5 discloses a plurality of vector buffer storages, the memory addresses are still accessed in the main storage, and there is not a corresponding memory unit for each memory address. Accordingly, Tanaka fails to disclose "accessing individual ones of said plurality of memory addresses in one corresponding memory unit," as recited in claim 7.

Claim 25 recites, “[t]he apparatus of claim 19 wherein said at least one memory unit comprises a plurality of memory units and wherein individual ones of said plurality of memory units is coupled to an output of a corresponding operator circuit.” Although FIG. 3 of Tanaka shows a main storage and a vector buffer storage and FIG. 5 shows a plurality of vector buffer storages and a main storage, Tanaka does not disclose each of these storages being coupled to an output of a corresponding operator circuit. As shown in FIG. 3 and in FIG. 5, the output of all of the requestors is coupled to the main storage (through the storage control) and no requestors are connected to any of the vector buffer storages. Thus, each storage is not coupled to the output of a corresponding operator circuit. Therefore, Tanaka fails to disclose “individual ones of said plurality of memory units is coupled to an output of a corresponding operator circuit,” as recited in claim 25.

III. Rejections under 35 U.S.C. §103(a)

Independent claims 10 and 26 were rejected under 35 U.S.C. §103(a) as being unpatentable over Tanaka in view of Shahidzadeh. This rejection is traversed for the reasons stated below.

Regarding claim 10, Tanaka and Shahidzadeh do not disclose all of the limitations of independent claim 10, and therefore cannot be used to reject claim 10 under §103.

As described above, Tanaka does not disclose an index vector having a plurality of values. Also, Tanaka does not disclose concurrently generating memory addresses using a plurality of values from an index vector with the same base value. Thus, Tanaka fails to disclose “concurrently performing an operation on a value stored in individual ones of said index vector segments with a base value to generate a first plurality of memory addresses” as recited in independent claim 10.

Shahidzadeh is directed to providing an extended linear address of more than 32 bits. As illustrated in FIG. 9 and described at column 6, lines 7-21 of Shahidzadeh, an extended linear address 916 is generated from a segment register 902 containing a segment selector 904 and a segment extension 914. The segment selector 904 is used to select a descriptor table 906 and a segment descriptor 908 so as provide a base address. An offset value in an offset register 910 is added to the base address to provide a lower portion of the linear address. The segment extension 914 is concatenated with the lower portion of the linear address to obtain the extended linear address 916. Although Shahidzadeh describes concatenating the segment extension 914 with the lower portion of the linear address, Shahidzadeh does not disclose concatenating a plurality of values in an index vector and adding the base value to the concatenation of the plurality of values of an index vector. As described in Shahidzadeh, the offset is a single value from an offset register 910, not an index vector having a plurality of values. Therefore, Shahidzadeh does not disclose "adding said base value to a value represented by the concatenation of said plurality of segments of said index vector to generate a single memory address," as recited in independent claim 10.

Regarding claim 26, Tanaka and Shahidzadeh do not disclose all of the limitations of independent claim 26, and therefore cannot be used to reject claim 10 under §103.

As described above, Tanaka does not describe a single storage register storing an index vector having a plurality of values. Thus, Tanaka fails to disclose "a first storage register for storing an index vector comprising a plurality of segments" as recited in independent claim 26. Also as described above, Tanaka fails to disclose "a plurality of operator circuits, individual ones of said plurality of operator circuits having a first input coupled to at least a portion of said first storage register and a second input coupled to said second storage register, said plurality of operator circuits for performing an operation on a value stored in individual ones of said index vector segments with said base value to

generate a first plurality of memory addresses on outputs of said operator circuits,” as recited in independent claim 26.

Although FIG. 9 of Shahidzadeh illustrates concatenating the segment extension 914 with the lower portion of the linear address, Shahidzadeh does not disclose concatenating a plurality of values in an index vector and adding the base value to the concatenation of the plurality of values of an index vector. As described in Shahidzadeh, the offset is a single value from an offset register 910, not an index vector having a plurality of values. Although the single offset value is added to the base address, Shahidzadeh does not disclose adding a concatenation of a plurality of segments of an index vector to the base. Therefore, Shahidzadeh does not disclose “an adder circuit having a first input coupled to said second storage register and a second input coupled to said first storage register for adding said base value to a value represented by the concatenation of said plurality of segments of said index vector to generate a single memory address,” as recited in independent claim 26.


Thus, for the reasons discussed above, independent claims 10 and 26 are allowable over the cited art. Claims 11-18 and 27-32 are dependent upon an allowable independent claim and are therefore also allowable.

Claims 18 and 32 are similar to claims 7 and 25, respectively, and are also allowable for at least the reasons described above relating to claims 7 and 25.

IV. Conclusion

For the reasons discussed above, all pending claims are allowable over the cited art. Reconsideration and allowance of all claims is respectfully requested.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "St. M. DiPasquo", written over a horizontal line.

Steven M. DiPasquo
Reg. No. 54,754
Attorney for Applicant
Tel.: 973-533-1616

Date: August 24, 2006
Law Office of Jeffrey M. Weinick, LLC
615 W. Mt. Pleasant Ave.
Livingston, NJ 07039